



Telescopic lance TL 10 H

Up to 10 m reach: hybrid telescopic lance TL 10 H. Comprising carbon-glass fibre mix and suitable for multifunctional use. Simple retraction and extension thanks to quick-release fasteners.









1 Multifunctional use

- For window, facade and solar panel cleaning with osmosis water.
- For high-pressure cleaning or low-pressure cleaning with wash brushes.

2 Maximum ergonomics

- Anti-spin lock of the lances for safe and ergonomic working.
- Quick-release fasteners for fast and simple loosening of the lance clamping.

3 Very user-friendly

- Tool-free adjustment of the clamping force at the quick-release fasteners.
- With clamping hooks to guide water hose outside the lance.

4 Maximum safety

- Haptic and visual pull-out stopper avoids unintentional disassembly.
- Non-electroconductive base-lance element.

TECHNICAL DATA AND EQUIPMENT





Telescopic lance TL 10 H

Technical data		
Order no.		4.762-611.0
EAN code		4054278716428
Length of the telescopic handle	m	2.2-10
Inlet temperature	°C	max. 60
Material		Hybrid
Elements		7
Connection thread		M 18
Weight incl. packaging	kg	9.5
Equipment		
Vacuuming		I
Tool less clamp force adjustment		1
Anti-Spin		1
Tool-less clamp force adjustment		1
Hose hook		I .
Pull out stopper		•

TELESCOPIC LANCE TL 10 H 4.762-611.0









							De-
		Order no.	Flow rate	Length	Length	Price	scrip- tion
Teleskopstangen							
TL low pressure adapter	1	4.580-097.0					TL
TL high pressure adapter	2	4.775-154.0					TL
TL vacuum cleaner adapter	3	9.751-306.0					TL suc- tion cup for 10
							and 14 m long
							tele- scopic lances
							compris- ing suction
							bend connec-
							tion (DN 35, DN 40) and
							connec- tion for
							the suction nozzles.

[☐] Available accessories.

TELESCOPIC LANCE TL 10 H 4.762-611.0







		Order no.	Flow rate	Length	Length	Price	De- scrip- tion		
Schläuche		oraci iio:	T TOW TUCE		zengen	11100	1011		
iSolar HP hose 10	1	6.392-977.0							
Water hose 25 m	2						Water		
Water 11036 25 III	4	0.552 576.0					hose (25		
							m) for		
							water		
							connec-		
							tion to		
							brushes		
							mounted		
							on tele-		
							scopic		
							lances		
							for		
							window,		
							façade		
							and		
							solar		
							power		
							installa-		
							tion		
							cleaning.		
Vater hose 50 m	3	6.392-579.0					50-me-		
							tre	Ш	
							trans-		
							parent		
							water		
							hose as		
							supply		
							line for		
							the		
							brushes		
							mounted		
							on tele-		
							scopic		
							lances		
							for		
							window,		
							façade		
							and		
							solar		
							power		
							installa-		
							tion		
						1	cleaning.		

[☐] Available accessories.

TELESCOPIC LANCE TL 10 H 4.762-611.0





		Order no.			Price	Description
Machine accessories						
Shoulder strap universal	1	2.042-016.0				Ergonomic and convenient universal shoulder strap. For long, fatigue-free work with leaf blowers, lawn trimmers or multi-tools from Kärcher.

[☐] Available accessories.