



Telescopic lance TL 10 C

Carbon fibre telescopic lance TL 10 C. With up to 10 m reach and practical quick-release fasteners. Multifunctional use for cleaning facades, windows or solar panels.









1 Multifunctional use

- For window, facade and solar panel cleaning with osmosis water.
- For high-pressure cleaning or low-pressure cleaning with wash brushes.

2 Maximum ergonomics

- Anti-spin lock of the lances for safe and ergonomic working.
- Quick-release fasteners for fast and simple loosening of the lance clamping.

3 Very user-friendly

- Tool-free adjustment of the clamping force at the quick-release faste-
- With clamping hooks to guide water hose outside the lance.

4 Maximum safety

- Haptic and visual pull-out stopper avoids unintentional disassembly.
- Non-electroconductive base-lance element.

TECHNICAL DATA AND EQUIPMENT





Telescopic lance TL 10 C

Technical data		
Order no.		4.762-612.0
EAN code		4054278716435
Length of the telescopic handle	m	2.2–10
Inlet temperature	°C	max. 60
Material		Carbon
Elements		7
Connection thread		M 18
Weight incl. packaging	kg	9.3
Equipment		
Vacuuming		
Tool less clamp force adjustment		1
Anti-Spin		I
Tool-less clamp force adjustment		1
Hose hook		I
Pull out stopper		•

TELESCOPIC LANCE TL 10 C 4.762-612.0









		Order no.	Flow rate	Length	Length	Price	De- scrip- tion	
Teleskopstangen								
TL low pressure adapter	1	4.580-097.0					TL	
TL high pressure adapter	2	4.775-154.0					TL	
TL vacuum cleaner adapter	3	9.751-306.0					TL suc-	
							tion cup	
							for 10	
							and 14 m long	
							tele-	
							scopic	
							lances	
							compris-	
							ing	
							suction	
							bend connec-	
							tion (DN	
							35, DN	
							40) and	
							connec-	
							tion for	
							the	
							suction	
			1	1			nozzles.	

[☐] Available accessories.

TELESCOPIC LANCE TL 10 C 4.762-612.0







		Ondou no	Flourest	Landh	Longit	Buiss	De- scrip-
		Order no.	Flow rate	Length	Length	Price	tion
Schläuche	1.	I			1	1	1
iSolar HP hose 7	1	6.392-978.0					
iSolar HP hose 10		6.392-977.0					
Water hose 25 m	3	6.392-578.0					Water
							hose (25
							m) for
							water
							connec-
							tion to
							brushes
							mounted
							on tele-
							scopic
							lances
							for
							window,
							façade
							and
							solar
							power
							installa-
							tion
							cleaning.
Water hose 50 m	4	6.392-579.0					50-me-
							tre
							trans-
							parent
							water
							hose as
							supply
							line for
							the
							brushes
							mounted
							on tele-
							scopic
							lances
							for
							window,
							façade
							and
							solar
							power
							installa-
							tion
							cleaning.

[☐] Available accessories.

TELESCOPIC LANCE TL 10 C 4.762-612.0





		Order no.			Price	Description
Machine accessories						
Shoulder strap universal	1	2.042-016.0				Ergonomic and convenient universal shoulder strap. For long, fatigue-free work with leaf blowers, lawn trimmers or multi-tools from Kärcher.

[☐] Available accessories.